



TP B.20 Peak forces and tip contact distance during a break shot



supporting:
“The Illustrated Principles of Pool and Billiards”
<http://billiards.colostate.edu>
by Dr. Dave Alciatore, PhD, PE ("Dr. Dave")

originally posted: 7/24/2016 last revision: 5/19/2018

$m_b := 6 \cdot \text{oz}$	ball mass
$m_s := 19 \cdot \text{oz}$	typical cue mass
$m_{\text{rack}} := \frac{3}{2} \cdot m_b$	effective mass of a rack of balls from: http://billiards.colostate.edu/high_speed_videos/new/HSVB-45.htm
$v_b := 30 \cdot \text{mph}$	ball speed after impact (for a ver-fast-speed break shot)
$\Delta t_{\text{tip}} := 0.0008 \cdot \text{s}$	typical tip-ball contact time (with a hard tip at fast speed) from: http://billiards.colostate.edu/threads/cue_tip.html#contact
$\Delta t_{\text{ball}} := 0.00025 \cdot \text{s}$	typical ball-ball contact time from: http://billiards.colostate.edu/threads/balls.html#contact

The average CB speed during tip contact is:

$$v_{b_avg} := \frac{v_b}{2} = 15 \text{ mph}$$

Therefore, the distance the CB (and tip) travels while the tip is in contact is:

$$\Delta x := v_{b_avg} \cdot \Delta t_{\text{tip}} = 0.211 \text{ in} \quad \Delta x = 5.364 \text{ mm}$$

The momentum of the CB is created by the impulse between the tip and CB.
Assuming a triangular and symmetric impulse-force profile (at peak force F_{peak}):

$$\frac{1}{2} \cdot F_{\text{peak}} \cdot \Delta t_{\text{tip}} = m_b \cdot v_b$$

So the peak force between the tip and CB is:

$$F_{\text{peak}} := \frac{2 \cdot m_b \cdot v_b}{\Delta t_{\text{tip}}} = 1282 \text{ lbf}$$

This corresponds to a peak acceleration (in units of g):

$$a_{\text{peak}} := \frac{F_{\text{peak}}}{m_b} = 3419 \text{ g}$$

When the CB hits the rack of balls and bounces back (with speed $v_{b'}$), both momentum and energy are conserved (assuming a perfect collision):

$$m_b \cdot v_b = m_{rack} \cdot v_{rack} - m_b \cdot v_{b'}$$

$$\frac{1}{2} \cdot m_b \cdot v_b^2 = \frac{1}{2} \cdot m_b \cdot v_{b'}^2 + \frac{1}{2} \cdot m_{rack} \cdot v_{rack}^2$$

Re-writing and solving these equations for $v_{b'}$ gives:

$$v_b = \frac{3}{2} \cdot v_{rack} - v_{b'}$$

$$v_b^2 = v_{b'}^2 + \frac{3}{2} \cdot v_{rack}^2$$

$$\left(v_b^2 = v_{b'}^2 + \frac{2}{3} \cdot (v_b + v_{b'})^2 \right) \xrightarrow{\text{solve, } v_{b'}} \left[\begin{array}{l} 6 \cdot \text{mph} \\ -30 \cdot \text{mph} \end{array} \right]$$

$$v_{b'} := 5 \cdot \text{mph}$$

The impulse between the CB and the rack is equal to the change in momentum of the CB:

$$\frac{1}{2} \cdot F_{peak} \cdot \Delta t_{ball} = m_b \cdot (v_b + v_{b'})$$

So the peak force between the CB and rack is:

$$F_{peak} := \frac{2 \cdot m_b \cdot (v_b + v_{b'})}{\Delta t_{ball}} = 4786 \text{ lbf}$$

This corresponds to a peak acceleration (in units of g) of:

$$a_{peak} := \frac{F_{peak}}{m_b} = 12764 \text{ g}$$